

507053
931629

Reilly Tar Site
Expert Witness/Technical Support

EPA Primary Contact: Mr. Paul Bitter
(404) 881-2234

Life Systems, Inc.
Project Manager: Mr. Timothy E. Tyburski
(216) 464-3291

Region: V
WA No.: 33
Report No.: 3
For: 02/85
CERCLA: X
RCRA:

Project Status

The approval of the WA Plan is pending. Dr. James Selkirk has been retained as the expert witness on this site.

Next Activities

Life Systems will continue to provide support in accordance with EPA technical direction. Life Systems will continue to utilize effective management systems to ensure end products in keeping with conformance objectives.

Schedule Problems

All technical activities are proceeding on schedule in accordance with the submitted WA plan.

non-responsive

Monthly Report
Reilly Tar & Chemical

non-responsive

Region : 5
WA No. : 33
Report No. : 3
For : February, 1985
CERCLA : X
RCRA :

EPA Primary Contact: Paul Bitter (312) 885-3007
Project Manager: Dr. James Mercer (703) 435-4400

Project Status

General Case preparation and deposition questions were prepared for Peter Shanahan during this month.

Next Activities

Work in March will include meetings to discuss the Remedial Action Plan and preparation for deposition, scheduled for March 27, 1985.

Schedule Problems

No anticipated problems are associated with this work assignment.

non-responsive

WA#	SITE NAME	ST	REG #
2	Petersen Sand and Gravel	IL	5
3	Bagel's Pit	IL	5
4	Waste Mgmt. of Michigan	MI	5
5	South Macomb Disposal #9 & 9A	MI	5
6	Motor Wheel Disposal	MI	5
7	U.S. Ecology	IL	5
8	E.I. DuPont Montague	MI	5
9	Lenawee Disposal Service	MI	5
10	Thermo-Chem, Inc.	MI	5
11	Torch Lake	MI	5
12	Sanitary Landfill Co./IWD	OH	5
13	Menard Drum Disposal	WI	5
14	City of Stoughton Landfill	WI	5
28	Coshocton Landfill	OH	5
33	Reilly Tar and Chemical Corp.	MN	5
55	FMC	MN	5
96	Rose, Cemetary & Springfield	MI	5
99	Westinghouse Sites	IN	5
102	Paxton Landfill Corp	IL	5
112	Midco 1	IN	5
126	Seymour Recycling	IN	5
130	Seymour Recycling	IN	5
163	Gebhart Fertilizer	IL	5
191	Belvidere Landfill	IL	5
204	Laskin/Poplar	OH	5

TOTALS

non-responsive